

# SUPPLEMENT

TO THE

## ANNUAL REPORT OF THE SURGEON GENERAL OF THE ARMY FOR THE YEAR 1913

---

### International Military-Medical Statistics for the Year 1912





# SUPPLEMENT

TO THE

ANNUAL REPORT OF THE SURGEON GENERAL OF THE  
ARMY FOR THE YEAR 1913

---

International Military-Medical Statistics  
for the Year 1912



U-11223  
H-  
S-11223

D. OF D.  
DEC 6 1913

# SUPPLEMENT

TO THE

ANNUAL REPORT OF THE SURGEON GENERAL OF THE ARMY FOR THE YEAR 1913.

INTERNATIONAL MILITARY MEDICAL STATISTICS FOR THE YEAR 1912.

The following tables are those agreed upon at the International Commission for the Unification of the Medical Statistics of Armies, held at Budapest in 1894, at Madrid in 1903, and modified by the last meeting held at Berlin in 1907. They are calculated for the United States Army proper (white and colored) and include enlisted men only. Dispositions include cases remaining from last year. Deaths include suicides and accidents. Days lost include those lost this year by cases remaining from last year.

Table I shows in absolute numbers, by divisions, the mean strength of the command, the admissions to quarters, to hospital, and total admissions; the disposition of the sick, total, and the number returned to duty, died, and otherwise disposed of, and the total number of days' sickness.

Table II gives the same data in ratios per 1,000, and also shows the days lost per soldier and per admission.

Table III shows, by arms of service, the mean strength, the total admissions, and those to hospital only, the total dispositions, and the number of those returned to duty, and the number that died.

Table IV gives the same data as Table III by months.

Table V shows for each of the larger garrisons the mean strength, admissions to hospital, total admissions, and the deaths.

Table VI shows for each of the 38 diseases or disease groups agreed upon by the International Commission, the number remaining under treatment at the commencement and close of the current year, the admissions and dispositions for the year, the total sick days, and the average number of days per case.

Table VII shows the admissions, by arms of service, for the diseases and disease groups referred to in Table VI.

Table VIII shows the same data as Table VII by months.

Table IX shows deaths by rank, by length of service, and by age.

Table X shows the same data as Table IX for discharges for physical disability.

INTERNATIONAL TABLE I.—*Movement of sick by Army corps (divisions)—Absolute numbers (enlisted men).*

Divisions.	Mean strength.	Admitted sick.			Sick disposed of.			Total days sick.	
		Total.	To hospital.	To quarters.	Returned to duty (recovered).	Died.	Otherwise disposed of.		Total.
United States (excluding Alaska):									
Eastern Division.....	20,343	13,441	11,585	1,856	12,326	70	776	13,172	124,085
Central Division.....	19,226	13,009	11,309	1,700	12,453	82	392	12,927	167,865
Western Division.....	11,904	8,148	6,698	1,450	6,068	44	239	6,351	71,484
Recruit depots.....	4,929	7,013	6,500	513	6,597	32	657	7,286	77,683
Independent stations.....	1,457	1,057	580	477	1,014	8	18	1,040	9,206
General hospitals.....	515	453	421	32	2,295	36	526	2,857	129,569
Total.....	58,374	43,121	37,093	6,028	40,753	272	2,608	43,633	579,892
Alaska.....	1,197	612	488	124	606	7	12	625	7,114
Canal Zone, Panama.....	773	616	321	295	560	7	40	607	7,848
Hawaii.....	3,376	3,161	2,719	442	3,003	13	116	3,132	41,323
China.....	1,097	765	510	255	711	8	25	744	10,442
Philippines Division.....	12,357	15,409	13,746	1,663	14,954	67	543	15,564	202,321
Army transports.....	1,093	803	776	27	705	7	18	730	13,281
Army.....	78,267	64,487	55,653	8,834	61,292	381	3,362	65,035	862,221



INTERNATIONAL TABLE II.—*Movement of sick by Army corps (divisions)—Proportionate numbers (enlisted men).*

Divisions.	In 1,000 of mean strength.			In 1,000 disposed of.			Days lost.	
	Total admissions.	Admissions to hospital.	Deaths.	Returned to duty (recovered).	Died.	Otherwise disposed of.	Per soldier.	Per admission.
United States (excluding Alaska):								
Eastern Division.....	660.72	569.48	3.44	935.77	5.31	58.91	6.10	9.23
Central Division.....	676.61	588.21	4.27	963.33	6.34	30.32	8.73	12.90
Western Division.....	684.48	562.67	3.70	955.44	6.93	37.63	6.01	8.77
Recruit depots.....	1,422.80	1,318.73	6.49	905.44	4.39	90.17	15.76	11.08
Independent stations.....	725.46	398.08	5.49	975.00	7.69	17.31	6.32	8.71
General hospitals.....	879.61	817.48	.....	803.29	12.60	184.11	.....	.....
Total.....	738.70	635.44	4.55	933.99	6.23	59.77	9.93	13.45
Alaska.....	511.28	407.69	5.85	969.60	11.20	19.20	5.94	11.62
Canal Zone, Panama.....	796.90	415.27	9.06	922.57	11.53	65.90	10.15	12.74
Hawaii.....	936.32	805.40	3.85	958.81	4.15	37.04	12.24	13.08
China.....	697.36	464.91	7.29	955.65	10.75	33.60	9.52	13.65
Philippines Division.....	1,246.99	1,112.41	5.42	960.81	4.30	34.88	16.37	13.13
Army transports.....	734.68	709.97	6.40	965.65	9.59	24.66	12.15	16.54
Army.....	823.94	711.07	4.79	942.45	5.86	51.70	11.02	13.37

INTERNATIONAL TABLE III.—*Movements of sick by arms of service—Army—enlisted men.*

Arms of service.	Absolute numbers.						Proportionate numbers.				
	Mean strength.	Sick admissions.		Sick disposed of.			Per 1,000 of mean strength.			Per 1,000 of sick disposed of.	
		Total.	To hospital.	Total.	Fit for duty (recovered).	Deaths.	Total sick admissions.	Admissions to hospital.	Deaths.	Fit for duty (recovered).	Deaths.
Infantry.....	27,860	23,206	19,661	23,191	21,745	162	832.95	705.71	5.74	937.64	6.99
Cavalry.....	43,122	11,688	10,046	11,919	11,372	52	890.74	765.59	3.90	954.11	4.36
Coast Artillery.....	17,438	11,754	10,347	11,853	11,058	63	674.04	593.35	3.54	932.93	5.32
Field Artillery.....	5,116	5,027	4,439	5,090	4,891	16	982.60	867.67	3.07	961.49	3.11
Engineers.....	1,747	1,357	1,090	1,383	1,292	10	776.76	623.93	5.63	934.20	7.23
Ordnance.....	706	554	367	560	538	5	784.71	519.83	6.94	960.72	8.93
Signal Corps.....	1,177	713	574	724	685	7	605.78	487.68	5.86	946.14	9.67
Hospital Corps.....	3,407	2,156	1,936	2,199	2,036	19	632.81	568.24	5.48	925.88	8.64
Others.....	7,694	8,032	7,193	8,116	7,672	47	1,043.94	934.89	5.98	945.30	5.79
Total.....	78,267	64,487	55,653	65,035	61,292	381	823.94	711.07	4.79	942.45	5.86

Ratios for deaths based on mean strength present and absent, total, 79,613.

INTERNATIONAL TABLE IV.—*Movement of sick by months (enlisted men).*

## AMERICAN TROOPS AT HOME.

Month.	Absolute numbers.						Proportionate numbers.				
	Mean. strength.	Sick admissions.		Sick disposed of.			Per 1,000 of mean strength.			Per 1,000 sick disposed of.	
		Total.	To hospital.	Total.	Fit for duty (recovered).	Deaths.	Total sick admissions.	Admissions to hospital.	Deaths.	Fit for duty (recovered).	Deaths.
January.....	54,703	3,960	3,582	3,910	3,729	13	72.39	65.48	0.24	953.71	3.33
February.....	55,512	3,918	3,537	3,841	3,681	22	70.58	63.72	.39	958.35	5.73
March.....	56,176	4,303	3,832*	4,350	4,152	31	76.60	68.21	.54	954.49	7.13
April.....	57,667	3,898	3,497	3,930	3,751	21	67.60	60.64	.35	954.45	5.34
May.....	58,317	3,667	3,281	3,811	3,642	24	62.88	56.26	.40	953.97	6.11
June.....	57,018	3,303	2,829	3,393	3,185	29	57.93	49.62	.48	938.70	8.55
July.....	60,014	3,395	2,717	3,338	3,081	17	56.57	45.27	.28	923.01	5.09
August.....	59,825	3,390	2,668	3,436	3,164	31	56.67	44.60	.50	920.84	9.02
September.....	60,524	3,216	2,680	3,311	3,037	24	53.14	44.28	.39	917.25	7.25
October.....	60,077	3,301	2,688	3,425	3,058	18	54.95	44.74	.29	892.85	5.26
November.....	60,325	3,203	2,753	3,306	2,947	17	53.10	45.64	.28	891.41	5.14
December.....	60,333	3,567	3,029	3,584	3,326	25	59.12	50.20	.42	928.01	6.98
Total.....	58,374	43,121	37,093	43,633	40,753	272	738.70	635.44	4.55	933.99	6.23

## AMERICAN TROOPS IN THE PHILIPPINE ISLANDS.

January.....	14,315	1,432	1,303	1,422	1,380	9	100.03	91.02	0.67	970.46	6.33
February.....	15,180	1,287	1,033	1,298	1,265	6	84.78	68.05	.40	974.57	4.62
March.....	13,718	1,378	1,195	1,362	1,327	5	100.45	87.11	.36	974.30	3.67
April.....	13,573	1,325	1,203	1,337	1,292	10	97.62	88.63	.74	966.34	7.48
May.....	12,075	1,375	1,271	1,343	1,313	4	113.87	105.26	.33	977.66	2.98
June.....	11,040	1,374	1,273	1,395	1,368	5	124.46	115.31	.45	980.64	3.58
July.....	11,275	1,535	1,398	1,532	1,482	4	136.14	123.99	.35	967.36	2.61
August.....	11,478	1,396	1,227	1,370	1,296	4	121.62	106.90	.35	945.99	2.92
September.....	11,585	1,309	1,145	1,329	1,272	2	112.99	98.83	.17	957.11	1.50
October.....	11,321	1,126	1,002	1,193	1,104	5	99.46	88.51	.44	925.40	1.19
November.....	11,174	945	840	1,024	969	6	84.57	75.17	.54	946.29	5.86
December.....	11,546	927	856	959	886	7	80.28	74.13	.61	923.88	7.30
Total.....	12,357	15,409	13,746	15,564	14,954	67	1,246.99	1,112.41	5.42	960.81	4.30

INTERNATIONAL TABLE V.—*Movement of sick in the larger garrisons—Officers and enlisted men.*

Garrisons.	Mean strength.	Total admissions.		Admissions to hospital.		Deaths.	
		Absolute numbers.	Per 1,000 of mean strength.	Absolute numbers.	Per 1,000 of mean strength.	Absolute numbers.	Per 1,000 of mean strength.
Fort D. A. Russell, Wyo. . . . .	2,314	1,917	828.44	1,853	800.78	12	5.19
Fort Leavenworth, Kans. . . . .	2,108	1,420	673.62	1,284	609.11	13	6.17
Presidio of San Francisco, Cal. . . . .	1,988	1,641	825.45	1,301	654.43	3	1.51
Fort Riley, Kans. . . . .	1,955	1,276	652.69	1,149	587.72	6	3.07
Vancouver Barracks, Wash. . . . .	1,370	1,124	820.44	939	685.40	3	2.19
Fort Monroe, Va. . . . .	1,369	770	562.45	675	493.06	3	2.19
Fort Slocum, N. Y. . . . .	1,297	2,097	1,616.81	2,051	1,581.34	6	4.63
Jefferson Barracks, Mo. . . . .	1,224	1,391	1,136.44	1,362	1,112.75	8	6.54
Fort Sheridan, Ill. . . . .	1,215	717	590.12	655	539.09	5	4.12
Columbus Barracks, Ohio. . . . .	1,195	2,056	1,720.50	1,919	1,605.86	16	13.39
Fort Sam Houston, Tex. . . . .	1,083	1,011	933.52	867	800.55	5	4.62
Fort Snelling, Minn. . . . .	1,024	825	805.66	718	701.17	3	2.93
Fort Sill, Okla. . . . .	980	558	569.39	533	543.88	3	3.06
Fort Douglas, Utah. . . . .	876	787	898.40	662	755.71	6	6.85
Monterey (Presidio of) Cal. . . . .	850	716	842.35	602	708.24	5	5.88
Fort Oglethorpe, Ga. . . . .	845	887	1,049.70	575	680.47	3	3.55
Plattsburgh Barracks, N. Y. . . . .	817	481	588.74	423	517.75	2	2.45
Fort Ethan Allen, Vt. . . . .	799	490	613.27	457	571.96	4	5.01
West Point, N. Y. . . . .	784	431	549.74	336	428.57	4	5.10
Fort Totten, N. Y. . . . .	769	508	660.60	419	544.86	3	3.90
Fort McPherson, Ga. . . . .	761	714	938.24	632	830.49	4	5.26
Fort McKinley, Me. . . . .	758	415	547.49	365	481.53	2	2.64
Fort Hancock, N. J. . . . .	749	347	463.28	295	393.86	2	2.67
Fort Benjamin Harrison, Ind. . . . .	744	687	923.39	520	698.92	2	2.69
Fort Des Moines, Iowa. . . . .	730	554	758.90	368	504.11	2	2.74
Fort Myer, Va. . . . .	714	475	665.27	458	641.46	2	2.80
Fort Terry, N. Y. . . . .	712	419	588.48	385	540.73	2	2.81
Fort H. G. Wright, N. Y. . . . .	685	462	674.45	405	591.24	2	2.92
Fort McDowell, Cal. . . . .	677	579	855.24	493	728.21		
Washington Barracks, D. C. . . . .	649	322	496.15	145	223.42	2	3.08
Fort Logan, Colo. . . . .	646	963	1,490.71	684	1,058.82	2	3.10
Fort Worden, Wash. . . . .	644	285	442.55	256	397.52	2	3.11
Fort Winfield Scott, Cal. . . . .	611	284	464.81	179	292.96	1	1.64
Fort William H. Seward, Alaska . . . . .	362	208	574.59	170	469.61	2	5.52
Fort Gibbon, Alaska. . . . .	297	137	461.28	112	377.10	2	6.73
Fort Liscum, Alaska. . . . .	200	94	470.00	68	340.00	1	5.00
Fort St. Michael, Alaska. . . . .	167	72	431.14	60	359.28	1	5.99
Fort Davis, Alaska. . . . .	158	102	645.57	72	455.70	1	6.33
Schofield Barracks, Hawaii. . . . .	2,773	2,731	984.85	2,299	829.06	13	4.69
Fort Shafter, Hawaii. . . . .	372	319	857.53	284	763.44	1	2.69
Fort Ruger, Hawaii. . . . .	236	95	402.54	68	288.14	1	4.24



INTERNATIONAL TABLE V.—*Movement of sick in the larger garrisons—Officers and enlisted men—Continued.*

Garrisons.	Mean strength.	Total admissions.		Admissions to hospital.		Deaths.	
		Absolute numbers.	Per 1,000 of mean strength.	Absolute numbers.	Per 1,000 of mean strength.	Absolute numbers.	Per 1,000 of mean strength.
Fort De Russy, Hawaii.....	168	101	601. 19	73	434. 52	.....	.....
Fort Wm. McKinley, P. I.....	3, 228	4, 320	1, 338. 29	3, 970	1, 229. 86	14	4. 34
Fort Mills, P. I.....	1, 653	1, 290	780. 40	1, 193	721. 72	3	1. 81
Camp Keithley, P. I.....	1, 288	918	712. 73	904	701. 86	12	9. 32
Camp Stotsenburg, P. I.....	1, 232	1, 696	1, 376. 62	1, 589	1, 289. 77	7	5. 68
Augur Barracks, P. I.....	1, 108	1, 844	1, 664. 26	1, 780	1, 606. 50	5	4. 51
Camp Gregg, P. I.....	859	257	299. 19	241	280. 56	4	4. 66
Camp McGrath, P. I.....	834	1, 608	1, 928. 06	1, 013	1, 214. 63	1	1. 20
Cuartel de Espana, P. I.....	740	509	687. 84	467	631. 08	.....	.....
Ludlow Barracks, P. I.....	580	713	1, 229. 31	682	1, 175. 86	3	5. 17
Pettit Barracks, P. I.....	508	413	812. 99	406	799. 21	1	1. 97
Camp Eldridge, P. I.....	460	482	1, 047. 83	447	971. 74	6	13. 04
Camp Jossman, P. I.....	408	507	1, 242. 65	421	1, 031. 86	5	12. 25
Camp Connell, P. I.....	348	244	701. 15	232	666. 67	1	2. 87
Regan Barracks, P. I.....	331	312	942. 60	294	888. 22	1	3. 02
Warwick Barracks, P. I.....	324	227	700. 62	206	635. 80	2	6. 17
Torrey Barracks, P. I.....	314	188	598. 73	185	589. 17	2	6. 37

INTERNATIONAL TABLE VI.— *Movement of sick according to most important diseases, Army, enlisted men, year 1912.*

Diseases of the international nosological table.	Absolute numbers.								Proportionate numbers.						
	Remaining at close of 1911.	Admitted, 1912.	Total remaining and admitted.	Disposed of in 1912.				Remaining at close of 1912.	Total days sick in 1912.	Per 1,000 of mean strength.		Per 1,000 disposed of.			Average days of treatment.
				Fit for duty.	Died.	Other-wise.	Total.			Admissions.	Deaths.	Fit for duty.	Died.	Other-wise.	
1. Alkoholismus acutus, including delirium tremens.....	21	1,201	1,222	1,175	10	26	1,211	14	4,777	15.34	0.13	970.27	8.26	21.47	3.98
2. Appendicitis, typhlitis, and perityphlitis.....	40	516	556	482	8	22	512	43	14,874	6.59	.10	941.41	15.63	42.97	28.82
3. Bronchitis acuta.....	29	2,590	2,619	2,525	.....	28	2,553	66	17,022	33.09	.....	989.03	.....	10.97	6.57
4. Cholera Asiatica.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5. Cholera nostras.....	.....	3	3	3	.....	.....	3	.....	8	.04	.....	1,000.00	.....	.....	2.67
6. Diphtheria et croup.....	13	79	92	88	.....	2	90	3	1,614	1.01	.....	977.78	.....	22.22	20.43
7. Dysentery.....	21	337	358	318	2	17	337	20	8,834	4.31	.03	943.62	5.93	50.45	26.21
8. Erysipelas.....	.....	27	27	24	.....	2	26	1	454	.34	.....	923.07	.....	76.92	16.81
9. Febris intermittens (malaria) <sup>1</sup> ...	39	2,307	2,346	2,305	.....	31	2,336	11	15,841	29.48	.....	986.72	.....	13.27	6.87
10. Febris recurrens.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11. Fractura ossium.....	98	938	1,036	863	18	69	950	104	41,343	11.98	.23	908.42	18.95	72.63	44.08
12. Gonorrhoea.....	379	6,208	6,587	5,312	1	1,089	6,402	186	119,573	79.32	.04	829.74	.10	170.10	19.26
13. Hernia.....	27	299	326	260	.....	41	301	26	11,877	3.82	.....	863.79	.....	136.21	39.72
14. Influenza.....	10	1,262	1,272	1,202	.....	13	1,215	57	7,419	16.12	.....	989.30	.....	10.70	5.88
15. Insolatio (Hitzschlag coup de chaleur).....	.....	5	5	4	1	.....	5	.....	97	.06	.01	800.00	200.00	.....	19.40
16. Luxationes articularum.....	13	231	244	229	.....	8	237	9	4,699	2.95	.....	966.24	.....	33.76	20.34
17. Meningitis cerebro-spinalis epidemica.....	.....	13	13	3	6	1	10	3	256	.17	.08	300.00	600.00	100.00	19.69
18. Morbilli.....	47	508	555	494	13	34	541	13	10,952	6.49	.16	913.12	24.03	62.85	21.56
19. Parotitis epidemica.....	33	1,330	1,363	1,279	.....	.....	1,279	42	22,099	16.99	.....	1,000.00	.....	.....	16.62
20. Pleuritis.....	9	252	261	236	.....	9	245	16	6,666	3.22	.....	963.27	.....	36.73	26.45
21. Pneumonia crouposa sive lobaris..	9	178	187	148	12	7	167	20	5,156	2.27	.15	886.22	71.86	41.92	28.97
22. Rheumatismus articularum.....	31	713	744	657	5	36	698	45	16,833	9.11	.06	941.26	7.16	51.58	23.61
23. Scarlatina.....	.....	14	14	12	.....	1	13	1	400	.18	.....	923.08	.....	76.92	28.57
24. Scorbutus.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
25. Syphilis.....	187	2,224	2,411	2,153	6	182	2,341	69	56,420	28.42	.08	919.69	2.56	77.74	25.37
26. Trachoma.....	2	25	27	21	.....	3	24	3	480	.32	.....	875.00	.....	125.00	19.20
27. Tuberculosis pulmonum <sup>2</sup> .....	78	241	319	33	21	126	180	136	37,572	3.08	.26	183.33	116.67	700.00	155.90
28. Tuberculosis ceterorum organorum.....	3	32	35	16	4	9	29	10	2,577	.42	.05	551.72	137.93	310.34	80.53
29. Typhus abdominalis.....	9	21	30	25	2	2	29	1	1,453	.27	.03	862.07	68.97	68.97	69.19
30. Typhus exanthematicus.....	.....	1	1	1	.....	.....	1	.....	42	.01	.....	1,000.00	.....	.....	42.00
31. Ulcus molle.....	174	2,267	2,441	2,107	1	288	2,396	45	47,045	28.96	.01	879.38	.42	120.20	20.75
32. Variola.....	1	6	7	6	.....	.....	6	1	192	.08	.....	1,000.00	.....	.....	32.00
33. Morbi auris.....	26	448	474	417	1	45	463	11	7,558	5.72	.01	900.65	2.16	97.19	16.87
34. Morbi cordis <sup>3</sup> .....	16	145	161	76	8	63	147	13	6,498	1.85	.18	517.01	54.42	428.57	44.81
35. Morbi cutis <sup>4</sup> .....	54	2,494	2,548	2,464	.....	36	2,500	48	24,825	31.84	.....	985.60	.....	14.40	9.95
36. Morbi mentis.....	40	270	310	46	2	219	267	44	22,124	3.45	.03	172.28	7.49	820.22	81.94
37. Morbi oculi.....	26	713	739	680	.....	31	711	28	9,117	9.11	.....	956.40	.....	43.60	12.79
38. Morbi systemat urin et sexual (excluding venerie et syphilis)...	42	910	952	824	14	85	923	29	15,841	11.63	.18	892.74	15.17	92.09	17.41

<sup>1</sup> Malarial fever intermittent only.<sup>2</sup> Includes tuberculosis of the larynx.<sup>3</sup> Includes pericarditis and endocarditis.<sup>4</sup> Diseases of the skin proper only.



INTERNATIONAL TABLE VII.—*Most important diseases, by arms of service (enlisted men).*

Diseases of the international nosological table.	Absolute numbers—admissions by arms of service.									Proportionate numbers—admissions per 1,000 of mean strength.								
	Infantry.	Cavalry.	Coast Ar- tillery.	Field Ar- tillery.	Engineers.	Ordnance.	S i g n a l Corps.	Hospital Corps.	Others.	Infantry.	Cavalry.	Coast Ar- tillery.	Field Ar- tillery.	Engineers.	Ordnance.	S i g n a l Corps.	Hospital Corps.	Others.
1. Alkoholismus acutus, in- cluding delirium tre- mens.....	445	114	378	50	12	24	21	86	71	15.97	8.69	21.68	9.77	6.87	33.99	17.84	25.24	9.23
2. Appendicitis, typhilitis, and perityphlitis.....	137	107	98	30	18	5	9	49	63	4.92	8.15	5.62	5.86	10.30	7.08	7.65	14.38	8.19
3. Bronchitis acuta.....	886	319	487	166	51	24	30	86	541	31.80	24.31	27.93	32.45	29.19	33.99	25.49	25.24	70.32
4. Cholera Asiatica.....																		
5. Cholera nostras.....			3									.17						
6. Diphtheria et croup.....	53	7	4	4	3		1	6	1	1.90	.53	.23	.78	1.72		.85	1.76	.13
7. Dyseuteria.....	167	106	23	12	7		1	15	6	5.99	8.08	1.32	2.35	4.01		.85	4.40	.78
8. Erysipelas.....	4	7	6	1		1			8	.14	.53	.34	.20		1.42			1.04
9. Febris intermittens (ma- laria) <sup>1</sup> .....	1,050	437	204	234	127	4	8	63	180	37.69	33.30	11.70	45.74	72.70	5.67	6.80	18.49	23.39
10. Febris recurrens.....																		
11. Fractura ossium.....	294	225	167	95	30	5	13	27	82	10.55	17.15	9.58	18.57	17.17	7.08	11.04	7.92	10.66
12. Gonorrhœa.....	2,622	1,082	1,131	458	128	13	49	177	548	94.11	82.46	64.86	89.52	73.27	18.41	41.63	51.95	71.23
13. Hernia.....	101	47	49	12	6	4		15	65	3.63	3.58	2.81	2.35	3.43	5.67		4.40	8.45
14. Influenza.....	111	207	331	101	19	44	15	70	64	14.75	15.78	18.98	19.74	10.88	62.33	12.74	20.54	8.32
15. Insolatio (Hitzschlag, coup de chaleur).....	2		1		1				1	.07		.06		.57				.13
16. Luxationes articularum...	83	55	40	24	3	1	1	4	20	2.98	4.19	2.29	4.69	1.72	1.42	.85	1.17	2.60
17. Meningitis cerebro-spi- nalis epidemica.....	2	1	1	4					5	.07	.08	.06	.78					.65
18. Morbilli.....	147	8	70	4	6	1	7	12	253	5.28	.61	4.01	.78	3.43	1.42	5.95	3.52	32.89
19. Parotitis epidemica.....	451	82	198	104	26		3	17	449	16.19	6.25	11.35	20.33	14.88		2.55	4.99	58.37
20. Pleuritis.....	101	35	45	16	6		2	20	27	3.63	2.67	2.58	3.13	3.43		1.70	5.87	3.51
21. Pneumonia crouposa sive lobaris.....	65	24	31	7	4	1	3	7	36	2.33	1.83	1.78	1.37	2.29	1.42	2.55	2.05	4.68
22. Rheumatismus articulo- rum.....	257	109	137	64	11	8	5	30	92	9.22	8.31	7.86	12.51	6.30	11.33	4.25	8.81	11.96
23. Scarlatina.....	2	5	1					2	4	.07	.38	.06					.59	.52
24. Scorbutus.....																		
25. Syphilis.....	819	476	473	117	38	6	31	85	179	29.40	36.28	27.12	22.87	21.75	8.50	26.34	24.95	23.27
26. Trachoma.....	4	1	1		2				17	.14	.08	.06		1.14				2.21
27. Tuberculosis pulmonum <sup>2</sup> .	83	33	41	23	6	1	3	20	31	2.98	2.52	2.35	4.50	3.43	1.42	2.55	5.87	4.03
28. Tuberculosis ceterorum organorum.....	16	5	4	3	1		1		2	.57	.38	.23	.59	.57		.85		.26
29. Typhus abdominalis.....	8	4	1	1	1				6	.29	.30	.06	.20	.57				.78
30. Typhus exanthematicus..	1									.03								
31. Ulcus molle.....	1,079	391	347	164	53	4	23	55	151	38.73	29.80	19.90	32.06	30.34	5.67	19.54	16.14	19.63
32. Variola.....	3			2					1	.11			.39					.13
33. Morbi auris.....	178	75	75	26	16	3	7	14	54	6.39	5.72	4.30	5.08	9.16	4.25	5.95	4.11	7.02
34. Morbi cordis <sup>3</sup> .....	50	13	23	14	3	2		13	27	1.79	.99	1.32	2.74	1.72	2.83		3.82	3.51
35. Morbi cutis <sup>4</sup> .....	928	401	448	191	57	18	28	51	372	33.31	30.56	25.69	37.33	32.63	25.50	23.79	14.97	48.35
36. Morbi mentis.....	101	35	58	7	3	1	5	18	42	3.63	2.67	3.33	1.37	1.72	1.42	4.25	5.28	5.46
37. Morbi oculi.....	265	115	131	52	15	5	7	22	101	9.51	8.76	7.51	10.16	8.59	7.08	5.95	6.46	13.13
38. Morbi systemat., urin et sexual (excluding ve- nerie et syphilis).....	272	154	198	63	14	7	4	45	153	9.76	11.74	11.35	12.32	8.02	9.92	3.40	13.21	19.89

<sup>1</sup> Malarial fever, intermittent only.<sup>2</sup> Includes tuberculosis of the larynx.<sup>3</sup> Includes pericarditis and endocarditis.<sup>4</sup> Diseases of the skin proper only.

INTERNATIONAL TABLE VIII.—*Most important diseases, by months.*

Diseases of the international nosological table.	Admissions by months.											
	Janu-ary.	Febru-ary.	March.	April.	May.	June.	July.	Au-gust.	Sep-tem-ber.	Octo-ber.	No-vem-ber.	De-cem-ber.
1. Alkoholismus.....	110	99	110	83	83	93	51	77	111	123	134	127
2. Appendicitis, typhlitis, and perityphlitis.....	39	41	39	43	45	40	55	45	43	45	37	44
3. Bronchitis <i>acuta</i> .....	269	249	307	207	219	176	174	131	147	165	198	348
4. Cholera Asiatica.....												
5. Cholera nostras.....								2	1			
6. Diphtheria et croup.....	23	15	7	4	2	1	2	1	2		20	2
7. Dysenteria.....	21	21	25	36	31	24	32	42	35	24	18	28
8. Erysipelas.....	3	6	3	4		2	3		3	1	1	1
9. Febris intermittens (malaria).....	107	153	263	263	286	305	254	203	190	155	62	66
10. Febris recurrens.....												
11. Fractura ossium.....	75	58	66	93	78	92	62	77	89	83	86	79
12. Gonorrhea.....	664	545	556	499	533	559	588	498	557	484	377	348
13. Hernia.....	27	25	18	28	25	23	34	18	31	28	22	20
14. Influenza.....	122	112	140	84	76	48	72	45	53	76	98	336
15. Insolatio (Hitzschlag coup de chaleur).....					1	1	1	1	1			
16. Luxationes articularum.....	14	15	9	16	19	22	18	22	25	23	25	23
17. Meningitis cerebro-spinalis epidemica.....	3		1	2	1		1				3	2
18. Morbilli.....	92	93	92	91	38	27	50	7	1		2	15
19. Parotitis epidemica.....	86	151	296	341	187	75	50	15	18	10	38	63
20. Pleuritis.....	18	19	31	25	26	25	23	18	22	14	12	19
21. Pneumonia crouposa sive lobaris.....	31	18	13	23	15	13	13	6	4	9	7	26
22. Rheumatismus, articularum.....	59	78	89	101	57	56	56	46	36	38	38	59
23. Scarlatina.....		1	5		5						2	1
24. Scorbutus.....												
25. Syphilis.....	242	211	228	160	163	174	203	170	172	198	168	135
26. Trachoma.....	3		2	1	3	3	3	3	1		2	4
27. Tuberculosis pulmonum.....	30	12	26	18	15	17	16	25	21	18	27	16
28. Tuberculosis ceterorum organorum.....	3		3	4	2	3	4	5	2	1	2	3
29. Typhus abdominalis.....	1	2	1	4	2	2	2	2	1	4		
30. Typhus exanthematicus.....						1						
31. Ulcus molle.....	258	217	208	197	240	201	186	161	185	184	122	108
32. Variola.....				1	2			1			1	1
33. Morbi auris.....	39	43	51	30	53	36	47	35	23	27	31	33
34. Morbi cordis.....	13	13	12	16	19	10	5	17	9	16	6	9
35. Morbi cutis.....	220	188	169	179	190	198	276	253	218	230	192	181
36. Morbi mentis.....	20	22	25	23	19	31	23	23	23	15	22	24
37. Morbi oculi.....	70	46	47	75	54	65	61	57	62	63	57	56
38. Morbi systemat, urin et sexual (excluding venerie et syphilis).....	69	81	80	85	90	65	83	81	68	69	64	75



INTERNATIONAL TABLE IX.—*Deaths by rank, by length of service, and by age.*


Cause of death.	Total number of deaths (enlisted men).		Deaths by rank and length of service.				Deaths by age.					
	Absolute numbers.	Per 1,000 of mean strength.	Non-commissioned officers.	Soldiers in first year of service.	Soldiers in second year of service.	Soldiers in third year of service and beyond.	20 and under.	21 to 25.	26 to 30.	31 to 35.	36 to 40.	41 and over.
Deaths from sickness.....	189	2.37	45	38	18	88	15	45	33	36	15	45
Soldiers present with troops.....	135	1.70	31	34	13	57	14	33	24	26	6	32
Soldiers absent from troops.....	54	.68	14	4	5	31	1	12	9	10	9	13
Accidental deaths.....	138	1.73	28	32	25	53	5	64	26	21	12	10
Soldiers present with troops.....	98	1.23	20	21	18	39	5	43	19	13	9	9
Soldiers absent from troops.....	40	.50	8	11	7	14	.....	21	7	8	3	1
Suicides.....	54	.68	12	14	2	26	1	19	15	12	2	5
Soldiers present with troops.....	37	.46	7	8	2	20	1	13	11	7	1	4
Soldiers absent from troops.....	17	.21	5	6	.....	6	.....	6	4	5	1	1
Total.....	381	4.79	85	84	45	167	21	128	74	69	29	60

INTERNATIONAL TABLE X.—*Discharges from the Army for physical disability, temporary or permanent, by rank, length of service, and by age.*


Cause of discharge.	Total discharges (enlisted men).		Rank and length of service.				Age.					
	Absolute numbers.	Per 1,000 of mean strength.	Non-commissioned officers.	Soldiers in first year of service.	Soldiers in second year of service.	Soldiers in third year of service and beyond.	20 and under.	21 to 25.	26 to 30.	31 to 35.	36 to 40.	41 and over.
Physical disability existent prior to enlistment...	523	6.57	5	373	88	57	80	292	100	43	7	1
Physical disability incident to service.....	406	5.10	59	97	68	182	25	175	94	53	30	29
Physical disability not incident to service.....	140	1.76	14	26	37	63	7	54	40	22	11	6
Total.....	1,069	13.43	78	496	193	302	112	521	234	118	48	36

GEO. H. TORNEY,  
*Surgeon General, U. S. Army.*

Military divisions, United States, continental (excluding Alaska), showing the relative admission, death, and discharge rates for disease, enlisted men, year 1912.



Relative admission, death, and discharge rates for disease.













LIBRARY OF CONGRESS



0 019 589 428 0